




Telescopic fitting for water meter F/F

gaskets included

Tech drawings and tables



DN	Code	Ø	F	S	KG	R	P/box
1/2" x 3/4"	025098000187	15	12,5	58	0,148	14	40
3/4" x 1"	025098000230	20	14,5	63,5	0,227	14	30

RIV Rubinetterie Italiane Velatta S.p.A. - Via delle Acacie, 8 Zona Industriale D4 - 28075 Grignasco (NO) - Italy
Tel +39 0163 4151 Fax + 39 0163 411914 E-Mail riv-vg@riv-vg.com Web <http://www.riv-vg.com>


Capitale sociale € 516.000 i.v. - Reg. Imprese di Novara N° 00469610026 - R.E.A. di Novara N° 170397

Numero Meccanografico NO009263 - Codice Fiscale: 00469610026 - Partita IVA: IT 01399720034



Technical data


Art. 5098




Materials				
1	Body	Brass	CuZn40Pb2	UNI EN 12165
2	Telescopic joint	Brass	CuZn40Pb2	UNI EN 12165
3	O-Ring	NBR		ASTM D2000
4	O-Ring	NBR		ASTM D2000
5	Seeger	Stainless Steel	AISI 302	
6	Swivel nut	Brass	CuZn40Pb2	UNI EN 12165
7	O-Ring	NBR		ASTM D2000
8	Butterfly handle	Aluminium	Green	GD-AISI12Cu2Fe EN AB-46100
9	Screw	Steel	Zinc-plated	UNI EN 20898-1
10	Swivel nut	Brass	Nickel-plated	CuZn40Pb2 UNI EN 12165
11	Seeger	Stainless Steel	AISI 302	

Info_usage	General civil and industrial plant: water, heating and sanitary plants, waterworks, etc.
Info_usage	
Info_junction	
Info_junction	Female ISO 7/1Rp (parallel), Male ISO 7/1R (tapered), screwed ring ISO 228/1
Info_limits	
Info_limits	-20°+110° (without liquid)
Info_notes	The max.working pressure (PN) means at a room temperature of about 23°C.
Info_notes	

LoadLossChart



TemperaturePression



RIV Rubinetterie Italiane Velatta S.p.A. - Via delle Acacie, 8 Zona Industriale D4 - 28075 Grignasco (NO) - Italy

Tel +39 0163 4151 Fax + 39 0163 411914 E-Mail riv-vg@riv-vg.com Web <http://www.riv-vg.com>

Capitale sociale € 516.000 i.v. - Reg. Imprese di Novara N° 00469610026 - R.E.A. di Novara N° 170397

Numero Meccanografico NO009263 - Codice Fiscale: 00469610026 - Partita IVA: IT 01399720034

